



Copyright FCI.

A

B

C





D

A

B

C

D




M3 x 0.5-6H
x 3.0 DP.
(0.3 X 45° CHAMFER)

spec ref				dr	Chen-Hong Tan	2005/08/17	projection mm	size	A3	scale	2:1	
tolerance std ASME Y14.5 -	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Yong-Keat Lim	2011/10/04		ecn no	ELX-S-006144-1			
				chr	-	-						
				appr	Chen-Hong Tan	2011/10/07		product family		AirMax ACCESSORIES		rel level
surface -	linear	0.X	±0.3		title	7.2mm R/A GUIDE PIN 4/5 PAIR		dwg no	10044314		rev	C
		0.XX	±0.10									
		0.XXX	±0.050									
	-	angular	0°	±2°	www.fci.com	cat. no.	-	Product - Customer Drw		sheet 1 of 2		

PART NUMBER
10044314-101LF

NOTES:


- ① MATERIAL: ZINC ALLOY.
- ② FINISH: ZINC YELLOW CHROMATE.
- ③ APPLICATION SPECIFICATION: GS-20-045.
- ④ REFER TO CUSTOMER DRAWING 10035911 FOR INFORMATION REGARDING PCB LAYOUT OF POWER AND GUIDE MODULES RELATIVE TO SIGNAL MODULES.
- ⑤ RIGHT ANGLE PIN MODULE HAS THE SAME PCB FOOTPRINT AS THE RIGHT ANGLE GUIDE SOCKET.
- 6 THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- 7 PACKAGING MEETS GS-14-920 LEAD FREE LABELING SPECIFICATION.
- 8. A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.



RECOMMENDED PCB LAYOUT

SEE NOTE 3, 4, & 5

SCALE 3:1

spec ref				dr	Chen-Hong Tan	2005/08/17	projection 	mm 	size	A3	scale	1:1	
tolerance std ASME Y14.5 -	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Yong-Keat Lim	2011/10/04			ecn no				ELX-S-006144-1
				chr	-	-			rel level				Released
				appr	Chen-Hong Tan	2011/10/07			product family				AirMax ACCESSORIES
surface - ✓ -	linear	0.X	±0.3		title 7.2mm R/A GUIDE PIN 4/5 PAIR				dwg no	10044314		rev C	
		0.XX	±0.10										
		0.XXX	±0.050										
	angular	0°	±2°	www.fci.com	cat. no.		-	Product - Customer Drw			sheet 2 of 2		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[10044314-101LF](#)