


SERPAC 153Ri4AA (exploded isometric)

Electronic Enclosures




PART NO.	DESCRIPTION (Included)	ACCESSORIES (Optional)
5-3Ri	Top	
154AA	4AA Bottom	
1026	Access Door	
6005	#4X3/8" Self-Tapping Screw (4)	
6019	4-40 Screw (4)	
6102	4-40 Threaded Insert (4)	
73	Double Battery Contact (3)	
72	Single Battery Contact (2)	
		PART NO. DESCRIPTION
		50 Non-skid Feet
		SK5 Seal Kit for 15X

- Notes:
- Enclosure weight .38 lb / 175 g
 - Enclosure meets or exceeds IP40 and NEMA 1
 - When used with SK5 the enclosure meets or exceeds IP 67 and NEMA 4X, 12 and 13 MIL-STD-810G 506.5 (.02 lb / 11g)
 - Circuit Board drawings see sheet 3.
 - All components are RoHS Compliant.

ALL DIMENSIONS ARE $\pm .010"$ 11/17/2021 (1 of 3)
 2009 Wright Ave. La Verne, CA 91750
 Ph. (626) 331-0517 Fx. (626) 331-8584 serpac.com

SERPAC 153Ri4AA

Electronic Enclosures




ALL DIMENSIONS ARE $\pm .010"$ 11/17/2020 (2 of 3)
2009 Wright Ave. La Verne, CA 91750
Ph. (626) 331-0517 Fx. (626) 331-8584 www.serpac.com


SERPAC PCB for 15X compartment enclosures

Electronic Enclosures



CIRCUIT BOARD FOR TOP



CIRCUIT BOARD FOR BOTTOM



SMALL CIRCUIT BOARD FOR BOTTOM



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

SERPAC:

[153Ri4AA,AL](#) [153Ri4AA,BK](#) [153Ri4AA,GY](#)