

3 REVISIONS EC REV DESCRIPTION DATE CPR Α NEW RELEASE 03/09/06 TYPICAL SPECIFICATION TABLE POSITION CONTACT SIZE RATING VOLTAGE RATING 1 - 3 #16 15 AMPERES 250 VOLTS 4 - 19 #20 5 AMPERES 250 VOLTS 20 - 22 #12 35 AMPERES 250 VOLTS 6. ITEMS PROVIDED TO THIS SPECIFICATION TO BE PERMANENTLY IDENTIFIED PER THE FOLLOWING IDENTIFIER: YEAR - WEEK DATE CODE (e.g. 0625) TYCO PART NUMBER 5. ALL DIMENSIONS SHOWN ACROSS A CENTERLINE (C) SHALL BE CENTRALIZED WITHIN THE TOLERANCE INDICATED FOR THAT DIMENSION. 4. A REFERENCE DIMENSION (XXXX) IS WITHOUT TOLERANCE AND USED FOR INFORMATION PURPOSE ONLY. RECOMMENDED MOUNTING HARDWARE: TO BE ORDERED SEPARATELY. - FOR PANEL MOUNTING, USE 1650402-1: SHOULDER SCREW, #8-32 1650106-1: SHOULDER SCREW, #6-32 1650589-1: SHOULDER SCREW, M4X0.7 - FOR PCB MOUNTING, USE COMMERCIALLY AVAILABLE SCREW AND WASHER 1648117-1 AS SHOWN (IF REQUIRED). PART NUMBER DESCRIPTION 2. MATERIALS: DATE INCH OR INCH (MM) Tyco Electronics Corporation
Menlo Park, Ca 94025 HOUSING: THERMOPLASTIC, GLASS REINFORCED, COLOR-BLACK HA NGUYEN 03/09/06 Electronics UL94V-0 FLAMMABILITY RATED. CHECKED THIRD ANGLE PROJECTION TITLE UNLESS OTHERWISE RETENTION CLIP: COPPER ALLOY OR STAINLESS STEEL CONNECTOR, SOCKET HOUSING SPECIFIED DIMENSIONS ARE IN INCHES (METRIC) APPROVED #16, #20, #12 CONFIGURATION 1. PART NUMBER CHANGES AND OR DESIGN CHANGES AFFECTING ITEM TOLERANCES MINI DRAWER APPROVED INTERCHANGEABILITY REQUIRE PRIOR ELCON APPROVAL AND ANGLES ± .5° STEVE FLICKINGER 03/09/06 SIZE DWG NUMBER REV. AUTHORIZATION BY REVISION TO THIS DRAWING. DECIMALS DCA APPROVED **C**= 1648117 Α 103/09/06| 🗅 NOTES: UNLESS OTHERWISE SPECIFIED .XXX ± .010 (.25) HA NGUYEN .XX ± .02 (.3) ACAD FILE NUMBER C1648117A.DWG DWG SCALE 1=1 SH 1 OF 3 2 4





Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity:

1648117-1