

LOC		DIST		REVISIONS			
A	66	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2003

C

B

A


D

C


B

A


FEED TYPE MECHANICAL






PNEUMATIC




SERVO LATCH PLATE




CAM POSITIONS



TERMINAL SUPPORT LOCATION



HOLDDOWN SET-UP



FEED TRACK POSITION
GUIDE BY INSULATION BARREL

ATLANTIC VERSION
Shown on sheets 1 of 4 & 2 of 4
(Pacific version shown on sheets 3 of 4 & 4 of 4)

THIS DRAWING IS UNPUBLISHED. IT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS SUBJECT TO CHANGE WITHOUT NOTICE.				DWN 02JUL2013				TE Connectivity			
CHK 02JUL2013				L. ZHANG				Harrisburg, PA 17105-3608			
APVD 02JUL2013				U. GUO				NAME			
PRODUCT SPEC				APPLICATION SPEC				SIZE			
WEIGHT				CAGE CODE				DRAWING NO			
Customer Accessible Production Drawing				SCALE				SHEET			
1:1				2				REV			
A				00779				2151994			

LOC		DIST		REVISONS			
A	66	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2003


D

C


B

A


FEED TYPE MECHANICAL






PNEUMATIC




SERVO LATCH PLATE




CAM POSITIONS



TERMINAL SUPPORT LOCATION



HOLDDOWN SET-UP



FEED TRACK POSITION
GUIDE BY INSULATION BARREL

PACIFIC VERSION
Shown on sheets 3 of 4 & 4 of 4
(Atlantic version shown on sheets 1 of 4 & 2 of 4)

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DWN		CK*		APVD		NAME	
mm		0 PLC ±0.1		K. HUANG		L. ZHANG		J. GUO		Ocean Side Feed Applicator	
1 PLC ±0.02		2 PLC ±0.02		3 PLC ±0.005		4 PLC ±0.0005		ANGLES		SIZE	
FINISH		WEIGHT		Customer Accessible Production Drawing		SCALE		SHEET		REV	
-		-		-		-		-		-	
-		-		-		-		-		-	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[7-2151994-7](#)