

LOC	DIST	REVISIONS						
A1	-	P	LTR	DESCRIPTION	DATE	DWN	APVD	
			C38	ECR-18-000171	05JAN2018	KD	RR	
			C39	ECR-18-001281	24FEB2018	LZ	RR	
			C40	ECR-18-007974	25MAY2018	LZ	FL	
			C41	ECR-18-014326	25OCT2018	KD	FL	

REMARKS/Bemerkungen

- 1

CAVITY SUITABLE FOR STANDARD TIMER CONTACTS LISTED IN PROD.SPEC. 108-18049, ITEM 3.3.2
Kammer geeignet für Standard Timer Kontakte gelistet in Prod. Spec. 108-18049, Punkt 3.3.2
- 2

CONTACT CAVITY NO.
Kontaktkammernummerierung
- 3

MATING STOP
Tiefenanschlag
- 4

AREA FOR TE LOGO ACC. TO SPEC 202-36
Bereich für TE Logo nach Spec. 202-36
- 5

POLARIZATION RIB POSITION "a" AND/OR "b"
Polarisierungsrippe Position "a" und/oder "b"
- 6

KEYING RIB POSITION "c" AND/OR "d"
Kodierrippe Position "c" und/oder "d"
- 6a

KEYING RIB POSITION "c" AND/OR "d" AT THE END WALLS OF THE HOUSING
Kodierrippe Position "c" und/oder "d" an den Gehäusestirnseiten
- 7

LOCKING LATCH
Rasthaken
- 8

TE PART NO (PN)
TE Bestell Nr. (PN)
- 9

DESIGN OF THE HOUSINGS ACC. TO RAST 5 STANDARD
Gehäuseausführung gemäss RAST 5 Vorgabe
- 10

GENERAL SUITABLE TAB HEADER SEE RAST 5 PERFORMANCE
Generell passende Flachsteckerwannen siehe RAST 5 Vorgabe
- 11





PACKAGING: BULK PACKAGING IN CORRUGATED BOX PN 740580-2
2 POS. 2500 PIECES PER BOX / 3 POS. 2000 PIECES PER BOX
Verpackung: Schüttgut in Versandkarton Pn 740580-2
2pol. 2500 Stück per Karton / 3pol. 2000 Stück per Karton
- 12

DIMENSION A, B C AND D SEE SHEET 2 OF 3
- 13


MATERIAL CORRESPONDS TO THE REQUIRMENT EN 60335
(INCL. GLOW WIRE TEST 750° WITHOUT FLAME)
Material entspricht den Anforderungen der EN 60335
(inkl. Glühdrahttest 750° ohne Flamme)
- 14

RATIO NUMBER OF THE KEYING VERSION,INKJET PRINTED. SEE SHEET 2
Kodierungskennnummer, mit Tintenstrahldrucker aufgebracht . siehe Blatt 2
- 15

PRELIMINARY- NOT RELEASED FOR PRODUCTION




SECTION A-A / Schnitt A-A



SECTION B-B / Schnitt B-B

5 POSITION
STD. TIMER MARK-II HOUSING




SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Kishor M	18-10-07	 TE Connectivity	
DIMENSIONS: mm		CHK K.Munz	18-10-07		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD T.Klenner	18-10-07	NAME STANDARD TIMER HSG. RAST 5 MARK II Standard Timer Gehäuse RAST 5 Mark II	
		PRODUCT SPEC 108-18049		SIZE A1	
MATERIAL SEE TABLE SHEET 2 OF 3		APPLICATION SPEC		CAGE CODE 00779	
		WEIGHT		DRAWING NO 1241961	
		Customer Drawing		SCALE 5:1	
				SHEET 1 OF 3	
				REV C41	


THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION
© COPYRIGHT 2011	ALL RIGHTS RESERVED.

ONLY 5-1241961-7, 1-1241961-9, 7-1241961-7, 2345753-1



ALL OTHER DIMENSIONS SEE SHEET 1 OF 3

KEY LAYOUT DESCRIPTION



X - XXXXXX - X

SPECIAL VERSION: UL94 V0 & GW T 750 NF & CTI 350								
5-1241961-7	3	6	1	15	10	PA66	NATURAL	A
1-1241961-9	3			15	10		NATURAL	A
7-1241961-7	3			15	10		NATURAL	A

SPECIAL VERSION: UL94 V0 & GW T 750 NF								
2322164-1	4	4	0.5	20	15	PA66	NATURAL	1


SPECIAL VERSION: UL94 V2 & GW T 750 NF									
6-2178575-7	3	4	0.5	15	10	PA6 GF15		NATURAL	A

SPECIAL VERSION: UL94 VO & GWT 750 NF										
△ ₁₅	3-2178412-7	3	6	1	15	10	UL94 VO & GWT 750 NF	PA66 △ ₁₃	NATURAL	1
△ ₁₅	4-2178412-7	3			15	10		NATURAL	1	
△ ₁₅	8-2178412-2	2			10	5		NATURAL	1	

UL94 V0 & GW T 750 NF									
15	2322917-4	4	4	0.5	20	15	UL94 V0 & GW T 750 NF	NATURAL	C
	2322917-2	2			10	5		NATURAL	1
	2315717-1	2			10	5		NATURAL	C
	2315717-2	2			10	5		NATURAL	C
	2315717-3	2	4	0.5	10	5		NATURAL	C
	2315717-4	4			20	15		NATURAL	C
	2315717-5	4			20	15		NATURAL	C
	2315717-6	3			15	10		NATURAL	C
	2315717-7	3			15	10		NATURAL	C
	PART NO.	POS			DIM C	DIM D		DIM A	DIM B

**PAY ATTENTION !
DIFFERENT CAVITY GEOMETRY AND LOCKING LATCHE OVERHANG
Bitte beachten !
Unterschiedliche Kammergeometrie und Rasthakenüberstand.**

FOR 2 POS. AND 3 POS.



SECTION B-B/Schnitt B-B


ALL OTHER DIMENSIONS SEE SHEET 1 OF 3
Alle anderen Masse siehe Seite 1 von 3

SPECIAL MATERIAL: UL94 V0									
15	2345753-1	3	6	1	15	10	PA66	NATURAL	1

SPECIAL MATERIAL									
15	1955507-4	4	6	1	20	15	PA66 UL 94 V0	NATURAL	1
15	9-1955506-2	2			10	5		NATURAL	1

15.	6-1241961-7	3	4	0.5	15	10	PA 6 UL94V-2	NATURAL ¹³	1
	4-1241961-7	3			15	10	PA 6 UL94V-2	NATURAL ¹³	A
	3-1241961-7	3			15	10	PA 6 UL94V-2	NATURAL ¹³	A
	1-1955422-7	3			15	10	PA 66 UNFILLED UL94 V0	NATURAL	A
	5-1955422-7	3			15	10	PA 66 UNFILLED UL94 V0	NATURAL	A
	4-1955422-3	2	6	1	10	5	PA 66 UNFILLED UL94 V0	NATURAL	A
	2-1241817-3	3	4 or 6	0.5 or 1	15	10	PA 66 UL94 V-2	Green	E
	0-1955422-6	3	4	0.5	15	10	PA 66 UNFILLED UL94 V0	NATURAL	A
	8-1241961-8	3			15	10	PA 6 UL94V-2	natural ¹³	C
	0-1241961-8	3			15	10			A
	8-1241961-3	2			10	5			C
	3-1241961-1	2			10	5	PA 6 UL94V-2	NATURAL ¹³	C
	0-1955422-1	2			10	5	PA 66 UNFILLED UL94 V0	NATURAL	A
	PART NO	POS			DIM C	DIM D	DIM A	DIMM B	MATERIAL
			¹²	¹²	¹²	¹²			

LOC		DIST		REVISIONS						
P	LTR	DESCRIPTION			DATE	DWN	APVD			
SEE SHEET-01										
0-1241959-5	5			25	20		B			
4-1241959-4	4	4	0.5	20	15	PA 6 UL94V-2	Natural/natur	A		
2-1241959-4	20			15	B					
0-1241959-4	20			15						
2-1241817-5	5	6	1	25	20	PA 6.6 UL94V-2	Natural/natur	C		
0-1241817-5		4	0.5	25	20		Black/schwarz			
3-1241817-4	4	6	1	20	15	Violet/violett				
2-1241817-4		4	0.5	20	15	Grey/grau				
0-1241817-4		4	0.5	20	15	Natural/natur				
2-1241983-2	2	4	0.5	10	5	PA 6 UL94V-2	Green/grün	C		
1-1241983-2				10	5		Violet/violett			
0-1241983-2				10	5		TARGET RAL 4001			
8-1241983-2				10	5		Yellow/gelb			
5-1241983-3				10	5		Black/schwarz			
6-1241983-2				10	5		Blue/blau			
							Red/rot			
9-1241961-7	3	4	0.5	15	10	PA 6 UL94V-2	Natural/natur	C		
6-1241961-8		4	0.5	15	10					
5-1241961-8		4 or 6	0.5 or 1	15	10					
4-1241961-8		4	0.5	15	10					
7-1241961-8		4 or 6	0.5 or 1	15	10					
1-1241961-8		6	1	15	10					
3-1241961-8		4	0.5	15	10					
2-1241961-8				15	10					
2-1241961-7				15	10					
1-1241961-7				15	10					
9-1241961-9	2	4	0.5	15	10	PA 6 UL94V-2	Natural/natur	C		
0-1241961-6				15	10					
3-1241961-3				10	5					
2-1241961-2				10	5					
5-1241961-2				10	5					
4-1241961-3				10	5					
7-1241961-2				10	5					
7-1241961-3				10	5					
6-1241961-3				10	5					
3-1241961-2				10	5					
5-1241961-3				10	5					
6-1241961-2				10	5					
0-1241961-3				10	5					
8-1241961-2				10	5					
9-1241961-2	10	5								
0-1241961-1	10	5								
9-969484-9	3	6	1	15	10	PA 6.6 UL94V-2	Yellow/gelb	H		
2-969484-8	4 or 6	0.5 or 1	15	10	PA 6.6 UL94V-2	Natural/natur				
4-969484-8			15	10						
0-969484-8			15	10						
9-969484-7			15	10						
8-969484-7	4	0.5	15	10						
7-969484-7	4	0.5	15	10						
6-969484-7			15	10						
5-969484-7			15	10						
4-969484-7			15	10						
3-969484-7	4	0.5	15	10						
2-969484-7			15	10						
1-969484-7			15	10						
0-969484-7			15	10						
9-969484-6	6	1	15	10						
8-969484-6			15	10						
7-969484-6			15	10						
6-969484-6			15	10						
5-969484-6	6	1	15	10						
4-969484-6			15	10						
3-969484-6			15	10						
2-969484-6			15	10						
1-969484-6	4	0.5	15	10						
0-969484-6			15	10						
9-969484-3			10	5						
8-969484-3			10	5						
7-969484-3	4	0.5	10	5						
6-969484-3			10	5						
5-969484-3			10	5						
4-969484-3			10	5						
3-969484-3	4	0.5	10	5						
2-969484-3			10	5						
1-969484-3			10	5						
0-969484-3			10	5						
9-969484-2	2	4	0.5	10			5		PA 6.6 UL94V-2	Natural/natur
8-969484-2				10			5			
7-969484-2				10			5			
6-969484-2				10			5			
5-969484-2				10			5			
4-969484-2				10			5			
3-969484-2				10			5			
2-969484-2				10	5					
1-969484-2				10	5					
0-969484-2				10	5					
9-969484-1				6	1	10	5			
8-969484-1				4	1	10	5			
7-969484-1				6	1	10	5			
6-969484-1				6	1	10	5			
5-969484-1	6	1	10	5						
4-969484-1	4	0.5	10	5						
3-969484-1			10	5						
2-969484-1			10	5						
1-969484-1			10	5						
0-969484-1				10	5					
PART NO	POS.	DIM C	DIM D	DIM A	DIM B	MATERIAL	COLOUR	REV		
		12	12	12	12					

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN 18-10-07 Kishor M			TE Connectivity	
DIMENSIONS:				CHK 18-10-07 K. Munz			NAME	STANDARD TIMER HSG. RAST 5 MARK II Standard Timer Gehäuse RAST 5 Mark II
TOLERANCES UNLESS OTHERWISE SPECIFIED:				APVD 18-10-07 Th. Klenner				
mm				PRODUCT SPEC 108-18049				
				APPLICATION SPEC -				
MATERIAL SEE TABLE SHEET 2 OF 3				WEIGHT -		SIZE A1		
						DRAWING NO	C=1241961	RESTRICTED TO
						SCALE	5:1	SHEET 2 OF 3
				Customer Drawing				REV C4

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

LOC

DIST

P

LTR

REVISIONS

DESCRIPTION

DATE

DWN

APVD

SEE SHEET-01

2.00

0-969484-1

2.14

1-969484-1
2315717-2

2.13

2-969484-1

2.12

3-969484-1 OBSOLETE

2.11

4-969484-1

2.10

5-969484-1 OBSOLETE

2.09

6-969484-1

2.07

7-969484-1 OBSOLETE

2.06

8-969484-1

2.04

9-969484-1 OBSOLETE

2.03

0-969484-2

2.02

1-969484-2 OBSOLETE

2.08

2-969484-2

2.21

3-969484-2

2.99

4-969484-2
2315717-1

2.20

5-969484-2

2.19

6-969484-2

2.18

7-969484-2

2.17

8-969484-2
2315717-3

2.16

9-969484-2

2.31

0-969484-3

2.15

1-969484-3 OBSOLETE

2.05

2-969484-3 OBSOLETE

2.30

3-969484-3 OBSOLETE

Ohne/None

4-969484-3

Ohne/None

5-969484-3

Ohne/None

6-969484-3

Ohne/None

7-969484-3 OBSOLETE

Ohne/None

5-1241961-2

Ohne/None

0-1241961-1

PA6

2-1241961-2

PA6

3-1241961-2

PA6

6-1241961-2

PA6

7-1241961-2

PA6

8-1241961-2
8-2178412-2

PA6

9-1241961-2

PA6

0-1241961-3

PA6

3-1241961-3 OBSOLETE

PA6

4-1241961-3

PA6

5-1241961-3

PA6

6-1241961-3

PA6

7-1241961-3

PA6

6-1241983-2

PA6

8-1241983-2

PA6

5-1241983-3

0-1241983-2

1-1241983-2

2-1241983-2

3-1241961-1

8-1241961-3
2322917-2

4-1955422-3

9-1955506-2
PRELIMINARY

0-1955422-1

3.00

0-969484-6 OBSOLETE

3.38

1-969484-6 OBSOLETE

3.18

2-969484-6

3.37

3-969484-6

3.35

4-969484-6 OBSOLETE

3.33

5-969484-6 OBSOLETE

3.32

6-969484-6 OBSOLETE

3.20

7-969484-6

3.10

8-969484-6

3.09

9-969484-6

3.08

0-969484-7 OBSOLETE

3.39

1-969484-7
1-1955422-7 PRELIMINARY

3.31

2-969484-7 OBSOLETE

3.40

3-969484-7

3.99

4-969484-7 OBSOLETE

Ohne/NONE

5-969484-7

3.45

6-969484-7 OBSOLETE

3.47

7-969484-7 OBSOLETE

3.65

8-969484-7

3.48

9-969484-7 OBSOLETE

3.66

0-969484-8

Ohne/NONE

1-969484-8 OBSOLETE

Ohne/NONE

2-969484-8

PA6

9-1241961-9

3-1241961-8

9-969484-9

4-1241961-8

5-1241961-8

0-1241961-6

2-1241961-7
5-1241961-7

1-1241961-8

2-1241961-8

6-1241961-8
7-1241961-7

7-1241961-8

1-1241961-7

9-1241961-8

8-1241961-8

2-1241817-3

0-1241961-8

3-1241961-7

4-1241961-7

5-1955422-7

6-1241961-7
1-1241961-9
0-1955422-6
6-2178575-7
2345753-1

9-1241961-7

0-1241959-4
0-1241817-4

2-1241959-4

4-1241959-4
2315717-4

0-1955507-4
PRELIMINARY

0-2315717-5

2-1241817-4

3-1241817-4
2322164-1

0-1241959-5

0-1241817-5

2-1241817-5

0-1241961-6

2-1241817-7

1-1241961-8

2-1241961-8

3-1241961-7

4-1241961-7

5-1955422-7

6-1241961-7
1-1241961-9
0-1955422-6
6-2178575-7
2345753-1

9-1241961-7

0-2315717-6

0-2315717-7

4.00

0-1241959-4
0-1241817-4

4.01

2-1241959-4

4.02

4-1241959-4
2315717-4

4.03

0-1955507-4
PRELIMINARY

4.04

0-2315717-5

4.05

2-1241817-4

4.06

3-1241817-4
2322164-1

4.07

0-1241959-5

4.08

0-1241817-5

4.09

2-1241817-5

4.10

0-1241961-6

4.11

2-1241817-7

4.12

1-1241961-8

4.13

2-1241961-8

4.14

3-1241961-7

4.15

4-1241961-7

4.16

5-1955422-7

4.17

6-1241961-7
1-1241961-9
0-1955422-6
6-2178575-7
2345753-1

4.18

9-1241961-7

4.19

0-2315717-6

4.20

0-2315717-7

5.00

0-1241959-5

5.01

0-1241817-5

5.02

2-1241817-5

5.03

0-1241961-6

5.04

2-1241817-7

5.05

1-1241961-8

5.06

2-1241961-8

5.07

3-1241961-7

5.08

4-1241961-7

5.09

5-1955422-7

5.10

6-1241961-7
1-1241961-9
0-1955422-6
6-2178575-7
2345753-1

5.11

9-1241961-7

5.12

0-2315717-6

5.13

0-2315717-7

6.00

0-1241959-6

6.01

0-1241817-6

6.02

2-1241817-6

6.03

0-1241961-7

6.04

2-1241817-8

6.05

1-1241961-9

6.06

2-1241961-9

6.07

3-1241961-8

6.08

4-1241961-8

6.09

5-1955422-8

6.10

6-1241961-8
1-1241961-10
0-1955422-7
6-2178575-8
2345753-2

6.11

9-1241961-8

6.12

0-2315717-7

6.13

0-2315717-8

7.00

0-1241959-7

7.01

0-1241817-7

7.02

2-1241817-7

7.03

0-1241961-8

7.04

2-1241817-9

7.05

1-1241961-10

7.06

2-1241961-10

7.07

3-1241961-9

7.08

4-1241961-9

7.09

5-1955422-9

7.10

6-1241961-9
1-1241961-11
0-1955422-8
6-2178575-9
2345753-3

7.11

9-1241961-9

7.12

0-2315717-8

7.13

0-2315717-9

8.00

0-1241959-8

8.01

0-1241817-8

8.02

2-1241817-8

8.03

0-1241961-9

8.04

2-1241817-10

8.05

1-1241961-11

8.06

2-1241961-11

8.07

3-1241961-10

8.08

4-1241961-10

8.09

5-1955422-10

8.10

6-1241961-10
1-1241961-12
0-1955422-9
6-2178575-10
2345753-4

8.11

9-1241961-10

8.12

0-2315717-9

8.13

0-2315717-10

9.00

0-1241959-9

9.01

0-1241817-9

9.02

2-1241817-9

9.03

0-1241961-10

9.04

2-1241817-11

9.05

1-1241961-12

9.06

2-1241961-12

9.07

3-1241961-11

9.08

4-1241961-11

9.09

5-1955422-11

9.10

6-1241961-11
1-1241961-13
0-1955422-10
6-2178575-11
2345753-5

9.11

9-1241961-11

9.12

0-2315717-10

9.13

0-2315717-11

10.00

0-1241959-10

10.01

0-1241817-10

10.02

2-1241817-10

10.03

0-1241961-11

10.04

2-1241817-12

10.05

1-1241961-13

10.06

2-1241961-13

10.07

3-1241961-12

10.08

4-1241961-12

10.09

5-1955422-12

10.10

6-1241961-12
1-1241961-14
0-1955422-11
6-2178575-12
2345753-6

10.11

9-1241961-12

10.12

0-2315717-11

10.13

0-2315717-12

11.00

0-1241959-11

11.01

0-1241817-11

11.02

2-1241817-11

11.03

0-1241961-12

11.04

2-1241817-13

11.05

1-1241961-14

11.06

2-1241961-14

11.07

3-1241961-13

11.08

4-1241961-13

11.09

5-1955422-13

11.10

6-1241961-13
1-1241961-15
0-1955422-12
6-2178575-13
2345753-7

11.11

9-1241961-13

11.12

0-2315717-12

11.13

0-2315717-13

12.00

0-1241959-12

12.01

0-1241817-12

12.02

2-1241817-12

12.03

0-1241961-13

12.04

2-1241817-14

12.05

1-1241961-15

12.06

2-1241961-15

12.07

3-1241961-14

12.08

4-1241961-14

12.09

5-1955422-14

12.10

6-1241961-14
1-1241961-16
0-1955422-13
6-2178575-14
2345753-8

12.11

9-1241961-14

12.12

0-2315717-13

12.13

0-2315717-14

13.00

0-1241959-13

13.01

0-1241817-13

13.02

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[969484-8](#)