




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
A15		REVISED PER ECO-11-002569	25FEB2011	DLD	DCM
A16		REVISED PER ECO-14-011102	22JUL2014	DLD	DCM




PART NUMBER:
1438691-1
SHOWN WITH SPACER
IN SEATED POSITION
SCALE 2:1







SHOWN WITH SPACER IN SEATED POSITION

- ⚠️ PRINT TE PART NUMBER AND TRACEABILITY (YY : 2 DIGIT YEAR, JJJ = JULIAN DATE, HH = 2 DIGIT MILITARY HOUR CODE) IN THE LOCATION AT ASSEMBLY.
- ⚠️ OPTIONAL WIRE SHIELD PART NUMBERS (SOLD SEPARATELY) 1438126, 1438180, 1488373, AND 1488572. CONTACT TE ENGINEERING FOR MINIMUM FEED THRU CONDITION.
3. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY) FOR TIN APPLICATIONS: 1393367 AND 1393366. FOR GOLD APPLICATIONS: 1393365 AND 1393364 FOR TERMINATION AND REELING OPTIONS SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
4. APPLICABLE MOLEX (1.5) POWER TERMINAL PART NUMBERS: 33012-0002 TIN 0.50-1.50mm²
5. CAM LEVER AND SPACER ARE SHIPPED IN THEIR PRE-ASSEMBLED POSITIONS.
6. REFERENCE TE INSTRUCTION SHEET 408-8893.




SECTION A-A
SPACER AND LEVER IN
PRE-SEATED POSITION
(DELIVERY CONDITION)



SCALE 1:1

GREEN	PERIMETER SEAL	6
GRAY	LEVER	5
BROWN	GROMMET SEAL	4
BLACK	COVER	3
RED	SPACER	2
BLACK	HARNESS, KEY "A"	1
PART COLOR	DESCRIPTION	ITEM NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. CRISAMORE 21JUL2004	TE Connectivity	
DIMENSIONS:		CHK M. HITCHCOCK 21JUL2004		
mm		APVD C. MARTIN 21JUL2004		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		
0 PLC ±.3		APPLICATION SPEC	NAME ASSEMBLY, 50-WAY, KEY A, PCM HARNESS	
1 PLC ±0.10		WEIGHT		
2 PLC ±.10		Customer Drawing	SIZE CAGE CODE DRAWING NO. RESTRICTED TO	
3 PLC ±.10				
4 PLC ±.10			A100779C=1438691	
ANGLES ±.1°				
FINISH			SCALE 2:1 SHEET 1 OF 4 REV. A16	
MATERIAL				
-				
-				



THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	20
© COPYRIGHT 20	BY -	ALL RIGHTS RESERVED.

R		REVISIONS			
R	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET I	-	-	-

[illegible]

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. CRISAMORE	21JUL2004	 TE Connectivity			
		CHW M. HITCHCOCK	21JUL2004				
DIMENSIONS:		APVD G. MARTIN	21JUL2004		NAME		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC			ASSEMBLY, 50-WAY, KEY A, PCM HARNESS		
mm		APPLICATION SPEC		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
	0 PLC ±. 1 PLC ±0.3 2 PLC ±0.10 3 PLC ±. 4 ANGLES ±1°			A1	100779	C1438691	-
MATERIAL	FINISH	WEIGHT		SCALE	SHEET	3 of 4	REV
-	-	-	Customer Drawing	2:1			1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[6-1438691-0](#)